

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Allegheny River										
Lock And Dam 2										
1	7	9,829	2,459	5,588	21%	72%	62.47	1.27		2
C.W. Bill Young Lock & Dm										
1	15	4,304	2,408	4,018	46%	70%	61.39	1.34		5
Lock And Dam 4										
1	24	3,200	502	2,195	24%	31%	11.07	.96		1
Lock And Dam 5										
1	30	2,351	176	1,419	5%	17%	3.06	.41	2.0	3
Lock And Dam 6										
1	36	1,616	120	1,160	9%	18%	1.72	.31		
Lock And Dam 7										
1	46	1,792	105	1,046	8%	17%	1.55	.35		
Lock And Dam 8										
1 *	53	1,615	229	1,053	14%	7%	2.01	.39		
Lock And Dam 9										
1 *	62	1,146		582	6%	N/A%	1.47	.00		
Atlantic Intracoastal Waterway										
Great Bridge Guard Lock										
1	12	14,079	679	5,536	39%	100%	20.40	.06		8
Alabama-Coosa Rivers										
Claiborne Lock And Dam										
1	118	512	52	366	1%	4%	13.01	13.00		
Aplchcla/Chattaho/Flint Rivers										
Jim Woodruff Lock And Dam										
1	106	1,138	219	745	1%	2%	1.15	.07		3
George W Andrews Lock And Dam										
1 *	47	70	11	53	16%	17%	.16	.03		
Walter F George Lock And Dam										
1 *	75	491	29	344	7%	10%	.62	.28		
Atchafalaya River										
Berwick Lock										
1	75	5,258	320	3,273	62%	100%	6.13	.08		33
Black Rock Ch/Tonawanda Harbor										
Black Rock Lock										
1 *	75	2,420	248	1,478	5%	11%	1.59	.02	1.0	253
Blackwarrior/Tombigbee Rivers										
Demopolis Lock And Dam										
1	213	3,586	10,516	3,137	30%	31%	45.00	1.15		1
Holt Lock And Dam										
1	347	1,612	5,283	1,351	13%	16%	7.85	.83		

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Calcasieu River										
Calcasieu Salt Water Barrier										
1	347	16,202	941	5,878	36%	100%	5.80	.11	7.1	405
Chicago River										
Chicago Lock										
1	347	47,351	181	11,288	24%	100%	33.81	.06		3
Clinch River										
Melton Hill Lock										
1	23	272	2	148	0%	0%	.03	.00		
Canaveral Harbor										
Canaveral Lock										
1	3	26,858	1,280	10,329	37%	92%	70.84	.32	3.6	409
Columbia River										
Bonneville Lock And Dam										
2	145	3,636	10,562	3,391	89%	93%	91.80	.65		4
The Dalles Dam										
1	192	3,045	9,559	2,902	96%	100%	91.06	.74		20
John Day Lock And Dam										
1	217	2,625	7,455	2,562	98%	100%	83.99	.80		1
Mcnary Lock And Dam										
1	292	2,564	8,061	2,432	95%	100%	15.08	.15		2
Cumberland River										
Barkley Lock										
1	31	2,676	8,399	2,623	45%	53%	121.50	2.07	17.5	35
Cheatham Lock										
1	149	2,904	9,125	2,912	43%	57%	68.44	1.75	1.9	103
Old Hickory Lock										
1	216	3,481	3,850	3,192	45%	96%	59.67	1.62	0.5	340
Dismal Swamp Canal Route										
Deep Creek Lock										
1 *	11	1,330	1	575	43%	100%	11.37	.01		1
South Mills Lock										
1 *	33	1,277			42%	N/A%	6.95	.00		
Freshwater Bayou										
Freshwater Bayou Lock										
1	33	25,692	3,999	16,423	92%	100%	584.42	.35	1.4	74
Green & Barren Rivers										
Lock And Dam 1										
1	9	4,297	7,200	3,802	2%	2%	.78	.16		1
Lock And Dam 2										
1	63	1,583	4,321	1,529	2%	2%	.92	.35		5
Gulf Intracoastal Waterway										
Port Allen Lock										
1	63	8,055	24,073	6,006	90%	100%	871.91	3.00	1.7	643

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Gulf Intracoastal Waterway (cont.)										
Bayou Sorrel Lock										
1	63	7,848	22,600	9,824	114%	95%	738.53	3.13	0.3	31
Inner Hrbr Navigation Canl Lk										
1	63	14,964	16,624	10,773	80%	100%	2,120.95	6.04	1.8	529
Algiers Lock										
1	63	12,001	22,884	9,720	84%	100%	1,873.39	3.77	1.4	9
Harvey Lock										
1	63	7,445	2,087	5,798	79%	100%	189.94	.93	0.8	45
Bayou Boeuf Lock										
1	63	17,570	19,822		70%	98%	645.60	1.32	1.8	1,508
Calcasieu Lock										
1	63	16,211	38,676	13,665	89%	100%	1,825.39	3.17	2.6	125
Colorado River East Lock										
1	441	31,763	19,305		32%	100%	103.37	.25	1.2	27
Colorado River West Lock										
1	442	23,566	19,056		41%	100%	79.60	.20	1.0	19
Brazos East Gate										
1	400	14,696	19,565		67%	91%	157.23	.39		48
Brazos West Gate										
1	401	14,477	19,427		67%	91%	175.38	.45	1.7	48
Schooner Bayou Control Struct										
1	401	3,249	19	2,561	79%	100%	3.09	.06		355
Catfish Point Control Struct										
1	401	1,909	379	1,629	85%	100%	28.85	1.06	8.8	415
Leland Bowman Lock										
1	401	15,543	39,121	12,947	91%	100%	716.54	1.28	3.1	23
Hudson River										
Troy Lock And Dam										
1 *	401	5,979	14	3,316	42%	41%	684.02	.04		2
Illinois Waterway										
Thomas J. Obrien Lock										
1	327	26,024	6,778	8,678	2%	20%	4.73	.24	0.1	202
Lockport Lock										
1	291	4,289	15,970	4,160	64%	72%	315.33	3.44		13
Brandon Road Lock And Dam										
1	286	4,595	16,418	4,436	62%	73%	332.31	3.56		13

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Illinois Waterway (cont.)										
Dresden Island Lock And Dam										
1	272	5,832	18,875	4,791	51%	75%	273.89	3.11		13
Marseilles Lock And Dam										
1	245	5,688	20,886	4,859	54%	82%	390.82	4.24		50
Starved Rock Lock And Dam										
1	231	6,107	23,300	5,227	52%	80%	334.72	3.45		19
Peoria Lock And Dam										
1	158	6,163	33,668	5,857	47%	48%	357.83	3.40		27
Lagrange Lock And Dam										
1	80	4,148	36,730	4,862	63%	49%	667.08	5.90		52
Kanawha River										
Winfield Locks And Dam Main 1										
5	31	3,978	20,310	3,656	38%	41%	66.76	1.07	0.4	60
Marmet Locks And Dam Main 1										
1	68	2,513	7,663	9,162	330%	99%	1,194.87	13.24	0.8	32
Marmet Locks And Dam Main 1										
2	68	2,577	8,783	9,504	332%	98%	1,241.44	13.15	0.3	32
London Locks And Dam Main 1										
1	83	866	2,267	1,967	144%	88%	86.20	3.63	0.6	352
London Locks And Dam Main 1										
2	83	1,645	2,408	3,381	122%	85%	126.49	3.25	0.4	185
Kaskaskia River										
Kaskaskia River Navagation Lk										
1	1	4,537	533	2,036	1%	2%	.15	.04		1
Mississippi River										
Lock And Dam 1										
1 *	848	5,486	1,827	2,826	2%	7%	4.34	.63		
Lock And Dam 2										
1 *	815	9,703	8,584	3,733	10%	82%	88.58	1.73		4
Lock And Dam 3										
1 *	797	16,348	8,575	4,983	10%	85%	98.02	1.75		1
Lock And Dam 4										
1 *	753	11,712	9,355	4,094	11%	84%	71.90	1.32		1
Lock And Dam 5										
1 *	738	8,594	9,487	3,609	12%	84%	66.13	1.20		4
Lock And Dam 6										
1 *	714	8,248	11,956	4,207	19%	88%	144.11	2.16		2

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Mississippi River (cont.)										
Lock And Dam 7										
1 *	702	12,111	12,001	4,604	18%	80%	131.42	1.89		
Lock And Dam 8										
1 *	679	7,687	12,755	3,675	24%	89%	138.79	2.18		2
Lock And Dam 9										
1 *	647	6,309	14,570	3,950	33%	90%	129.26	1.89		9
Lock And Dam 10										
1 *	615	6,409	16,529	3,908	29%	90%	157.89	2.00		
Lock And Dam 11										
1 *	583	6,281	17,317	4,141	35%	88%	188.46	2.32		91
Lock And Dam 12										
1 *	556	5,383	19,099	4,091	41%	90%	248.91	2.81	0.3	67
Lock And Dam 13										
1 *	523	4,825	19,278	4,008	47%	91%	201.68	2.38		4
Lock And Dam 14										
1 *	493	3,579	24,265	4,494	92%	90%	523.05	4.33		35
Lock And Dam 14										
4 *	493	4,624	0		3%	N/A%	2.37	.00		2
Lock And Dam 15										
1 *	483	3,391	23,838	4,279	93%	84%	573.78	4.77		69
Lock And Dam 15										
4 *	483	4,701	871	2,255	12%	31%	422.99	11.60		6
Lock And Dam 16										
1 *	457	3,817	26,452	4,784	93%	87%	515.15	3.93		57
Lock And Dam 17										
1 *	437	3,050	27,451	4,419	112%	92%	442.73	3.66		29
Lock And Dam 18										
1 *	411	3,827	28,546	5,005	96%	92%	507.99	4.14		28
Lock And Dam 19										
1 *	364	3,597	30,109	3,036	49%	60%	103.52	1.22		33
Lock And Dam 20										
1	343	3,779	31,090	5,124	111%	93%	571.90	4.59		35
Lock And Dam 21										
1	325	3,676	32,874	5,373	120%	94%	640.08	5.17		33

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Mississippi River (cont.)										
Lock And Dam 22										
1	301	3,891	33,315	5,263	118%	95%	1,168.94	10.43		49
Lock And Dam 24										
1	273	4,125	34,785	5,596	106%	94%	958.08	8.10		81
Lock And Dam 25										
1	241	5,147	34,856	6,001	97%	94%	1,330.38	12.18	0.4	90
Mel Price Lock And Dam										
1 *	201	5,303	60,851	4,841	56%	63%	255.66	1.70	2.7	53
Mel Price Lock And Dam										
4	201	4,354	15,016	4,593	60%	68%	1,708.21	11.47		138
Chain Of Rocks Lock And Dam 27										
1	186	7,395	79,053	7,132	62%	66%	249.42	1.29	0.3	27
Chain Of Rocks Lock And Dam 27										
4	186	2,542	2,038	2,032	17%	21%	9.70	.58		6
St Anthony Falls - Upper Lock										
1 *	854	3,557	1,826	2,824	10%	12%	4.43	.17		3
St Anthony Falls - Lower Lock										
1 *	853	2,943	1,814	2,353	13%	11%	4.57	.17		3
Lock And Dam 5a										
1 *	729	9,833	9,482	4,036	12%	85%	64.86	1.16		
Mc-Kerr Arkansas Riv Nav Sys										
Norrell Lock And Dam										
1	10	1,876	8,682	2,089	32%	33%	25.70	1.17		4
Lock 2 And Wilbur D. Mills Dam										
1	13	1,834	8,676	2,065	32%	37%	28.56	1.31		10
Joe Hardin Lock And Dam										
1	50	1,882	8,084	2,132	34%	40%	26.71	1.30		
Emmett Sanders Lock And Dam										
1	66	2,039	8,113	2,118	43%	43%	32.57	1.39		
Lock And Dam 5										
1	86	2,154	7,549	2,227	37%	42%	67.31	1.15		
David D Terry Lock And Dam										
1	108	2,826	7,452	2,633	49%	50%	40.74	1.66		1
Murray Lock And Dam										
1	125	2,545	6,733	2,265	41%	39%	20.85	1.14		3

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Mc-Kerr Arkansas Riv Nav Sys (cont.)										
Toad Suck Ferry Lock And Dam										
1	156	1,332	6,550	1,522	43%	44%	19.64	1.06		
Arthur V. Ormond L And D										
1	177	1,289	6,508	1,475	28%	36%	14.71	.97		12
Dardanelle Lk And Dam										
1	206	1,494	6,736	1,632	97%	88%	29.40	.72		
Ozark Lock And Dam										
1	257	1,035	4,598	1,057	15%	20%	7.06	1.17		1
James W. Trimble Lock And Dam										
1	293	1,160	4,613	1,189	37%	24%	9.72	.98		
W D Mayo Lock And Dam										
1	320	1,379	4,324	1,149	83%	100%	17.27	.42	2.2	3
Rbrt S Kerr Lk And Dam And Res										
1	336	1,198	4,340	1,192	99%	100%	13.87	.34		
Webbers Falls Lock And Dam										
1	367	1,034	4,190	1,046	101%	100%	11.04	.26		
Chouteau Lock And Dam										
1	401	1,013	3,613	953	94%	100%	8.51	.22		
Newt Graham Lock And Dam										
1	422	936	3,478	980	103%	98%	10.77	.28		
Monongahela River										
Lock And Dam 2										
1	11	4,114	18,997	4,362	44%	43%	94.39	1.39		4
Lock And Dam 2										
4	11	3,641	361	2,399	4%	7%	1.29	.33	2.0	21
Lock And Dam 3										
1	24	5,357	13,584	5,311	42%	42%	64.64	.69		5
Lock And Dam 3										
4	24	3,937	1,077	3,411	16%	21%	9.06	.35		5
Lock And Dam 4										
1	42	4,256	11,302	4,629	44%	42%	70.75	.98		3
Lock And Dam 4										
4	42	2,388	518	2,136	17%	24%	27.39	.61		5
Maxwell Lock And Dam										
1	61	3,734	3,968	3,105	11%	8%	3.74	.28		8

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures ¹	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Monongahela River (cont.)										
Maxwell Lock And Dam										
2	61	2,934	8,598	2,532	9%	6%	2.88	.30		13
Grays Landing Lock And Dam										
1	82	3,681	6,073	2,998	16%	13%	8.40	.39		4
Point Marion Lock And Dam										
1	91	2,568	5,893	2,469	9%	8%	3.91	.45		
Morgantown Lock And Dam										
1	102	1,170	830	1,050	2%	3%	.30	.13		
Hildebrand Lock And Dam										
1	108	463	293	376	5%	2%	.12	.01		
Opekiska Lock And Dam										
1	115	886	290	548	2%	0%	.42	.00		
Ouachita And Black Rivers										
Jonesville Lock And Dam										
1	25	1,082	1,655	1,127	75%	75%	5.87	.26		4
Columbia Lock And Dam										
1	117	829	1,224	859	100%	97%	9.27	.34		
Felsenthal Lock And Dam										
1	227	1,744	265	1,312	64%	87%	1.07	.04		
Thatcher Lock And Dam										
1	282	2,020	268	1,348	62%	78%	2.99	.28		
Old River										
Old River Lock										
1	282	3,562	8,027	3,308	95%	100%	48.97	.38		3
Ohio River										
Emsworth Lock And Dam										
1	6	4,311	18,732	4,582	65%	64%	228.74	2.52	1.1	43
Emsworth Lock And Dam										
4	6	5,157	1,268	4,061	22%	21%	444.51	7.37	2.7	14
Dashields Lock And Dam										
1	13	3,655	20,229	4,407	66%	58%	150.69	1.75	0.9	21
Dashields Lock And Dam										
4	13	4,478	502	3,149	17%	14%	7.44	.27	0.8	22
Montgomery Lock And Dam										
1	32	3,660	23,001	4,684	81%	67%	230.04	2.28		51
Montgomery Lock And Dam										
4	32	3,514	488	2,641	14%	10%	4.12	.34		5

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Ohio River (cont.)										
New Cumberland Lock And Dam										
1	54	3,458	32,190	3,415	37%	37%	47.73	.89	0.1	25
New Cumberland Lock And Dam										
4	54	3,618	1,665	2,404	17%	13%	9.09	.39	0.3	20
Pike Island Lock And Dam										
1	84	4,176	40,120	4,017	38%	40%	58.66	.87		13
Pike Island Lock And Dam										
4	84	2,364	1,563	1,805	13%	9%	3.92	.35		4
Belleville Locks And Dam										
2	204	3,858	48,744	3,843	42%	42%	56.71	.83		6
Belleville Locks And Dam										
4	204	1,247	502	739	5%	5%	.63	.20		
Racine Locks And Dam										
2	238	4,351	49,535	4,182	47%	49%	93.24	1.10	1.0	21
Racine Locks And Dam										
4 *	238	1,054	697	769	8%	9%	5.34	4.00		4
Greenup Locks And Dam										
2	341	6,335	69,492	6,432	69%	68%	276.64	1.55		156
Greenup Locks And Dam										
4	341	1,695	1,087	1,345	10%	11%	2.98	.55		7
Capt Ant Meldahl Locks And Dam										
2	436	6,720	62,320	6,096	60%	68%	303.59	1.98	2.8	87
Capt Ant Meldahl Locks And Dam										
4 *	436	2,117	1,461	978	15%	49%	445.19	4.64	3.4	150
Robert C. Byrd Locks And Dam										
2	436	4,453	57,187		53%	53%	124.91	1.27		34
Robert C. Byrd Locks And Dam										
4	436	1,889	885	1,345	5%	6%	1.48	.33		2
Markland Locks And Dam										
2	532	5,306	55,289	5,118	57%	59%	215.20	1.66		46
Markland Locks And Dam										
4 *	532	3,174	517	1,234	3%	5%	1.40	.28		1
Mcalpine Locks And Dam										
2	607	6,413	56,167	5,983	65%	69%	325.52	2.02		86

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Time ¹	
					Vessels	Tows	Vessels	Tows	Time ¹	Freq Total
Ohio River (cont.)										
Lock And Dam 52 1	939	8,753	89,981	8,682	23%	24%	979.44	5.91		55
Lock And Dam 52 5 *	939	2,667	6,729	2,267	60%	77%	341.92	2.79		24
Lock And Dam 53 1	963	7,507	85,752	7,407	6%	7%	84.13	1.82		4
Lock And Dam 53 3 *	963	447	1,220	392	31%	45%	43.02	2.27		2
Hannibal Locks And Dam 1	126	4,443	48,714	4,168	39%	41%	67.31	.90	0.4	25
Hannibal Locks And Dam 4	126	1,283	756	775	4%	2%	.74	.14		4
Willow Island Locks And Dam 2	162	3,641	46,068	3,612	42%	42%	69.18	1.08		9
Willow Island Locks And Dam 4	162	2,561	906	1,312	9%	9%	5.98	.81		3
Cannelton Lock And Dam 2	721	4,709	56,056	4,715	56%	56%	157.71	1.46		46
Cannelton Lock And Dam 4	721	1,060	598	792	5%	6%	2.00	1.44		4
Newburgh Lock And Dam 2	776	5,292	64,135	5,449	58%	57%	142.25	1.17		2
Newburgh Lock And Dam 4	776	2,277	2,393	1,810	18%	21%	120.19	2.31		1
Uniontown Lock And Dam 2	846	5,458	69,684	5,616	63%	62%	216.27	1.57		81
Uniontown Lock And Dam 4	846	3,241	5,596	2,895	26%	54%	1,048.82	12.26		40
Smithland Lock And Dam 1	919	4,820	38,553	4,172	11%	14%	13.27	.43	0.1	179
Smithland Lock And Dam 2	919	4,908	47,362	4,518	14%	16%	14.38	.46	0.4	27
Okeechobee Waterway										
St Lucie Lock And Dam 1	15	4,300	20	2,466	39%	80%	58.80	1.08		1,526

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Okeechobee Waterway (cont.)										
Moore Haven Lock										
1	78	4,939	7	2,948	13%	24%	4.08	.06		1,665
Ortona Lock And Dam										
1	94	4,165	5	2,607	22%	61%	7.62	.14		1,539
W P Frklin Lck And Ctrl Strct										
1	122	6,438	4	3,294	26%	38%	11.46	.08		908
Port Mayaca Lock										
1	39	5,205	4	3,155	55%	91%	8.41	.06		1,160
Red River										
Lindy Claiborne Boggs Lock										
1	44	1,853	2,029	1,689	26%	26%	2.69	.19		2
John H. Overton										
1	74	1,260	2,063	1,177	18%	21%	1.34	.27		3
Lock And Dam 3										
1	116	1,315	628	871	0%	0%	.08	.00		1
Russell B. Long										
1	116	1,724	422	1,243	52%	19%	5.80	.17		3
Joe D. Waggonner Jr Lock										
1	116	6,453	398	3,559	27%	20%	15.17	.10		1
St. Marys River										
New Poe Lock										
1 *	47	1			100%	N/A%	.07	.00		
Snake River										
Ice Harbor Lock And Dam										
1	10	2,172	3,967	1,918	90%	100%	10.14	.12		2
Lower Monumental Lock And Dam										
1	42	1,549	3,421	1,426	93%	100%	9.02	.13	59.2	5
Little Goose Lock And Dam										
1	70	1,456	2,812	1,351	93%	99%	5.50	.11		1
Lower Granite Lock And Dam										
1	108	1,373	1,761	1,203	49%	48%	4.42	.20		1
Tennessee River										
Kentucky Lock										
1	22	3,910	27,738	5,347	117%	92%	913.55	8.21	4.2	141
Pickwick Landing Lock										
1	207	3,480	13,610	3,271	48%	58%	130.49	2.48		144
Pickwick Landing Lock										
5	207	708	316	589	21%	27%	6.56	1.02	17.0	74

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Tennessee River (cont.)										
Wilson Lock										
2	259	4,375	12,629	3,762	54%	76%	196.46	3.16	1.9	37
Wilson Lock										
4 *	259	6	34		400%	100%	107.13	89.22		3
Gen Jos Wheeler Lock										
1	275	2,942	12,422	3,274	62%	72%	116.14	2.13	1.6	47
Gen Jos Wheeler Lock										
5	275	670	63	413	21%	62%	21.53	3.79		33
Guntersville Lock										
1	349	3,543	8,570	3,113	43%	65%	82.27	2.05		51
Guntersville Lock										
5 *	349	8			0%	0%	.00	.00		12
Nickajac Lock										
1	425	2,696	4,094	1,977	21%	29%	17.38	1.18		52
Chickamauga Lock										
1	471	4,956	1,924	4,479	61%	96%	579.39	50.56	1.7	15
Watts Bar Lock										
1	530	2,863	1,587	3,188	72%	98%	443.96	45.75		67
Fort Loudon Lock										
1	602	2,464	682	2,086	43%	94%	115.71	13.00		287
Tennessee Tombigbee Waterway										
Howell Heflin Lock And Dam										
1	266	2,854	6,319	2,440	56%	64%	54.54	.40		1
Tom Bevill Lock And Dam										
1 *	307	826	1,357	622	12%	18%	1.38	.09		
John C. Stennis Lock And Dam										
1 *	335	826	1,267	629	9%	11%	6.48	.64		
Aberdeen Lock And Dam										
1 *	358	754	1,065	573	5%	4%	4.03	.42		2
Amory Lock										
1 *	371	727	1,067	521	1%	1%	1.86	.66		9
Glover Wilkins Lock										
1 *	376	738	1,068	543	12%	9%	7.12	.63	4.7	169
Fulton Lock										
1 *	391	734	1,035	534	10%	14%	4.34	.42	3.9	196

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2001

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Tennessee Tombigbee Waterway (cont.)										
John Rankin Lock										
1 *	398	691	1,033	499	18%	20%	4.48	.35		
G.V. Sonny Montgomery Lock										
1 *	407	627	1,044	510	13%	13%	4.98	.41		
Jamie L. Whitten Lock And Dam										
1	412	2,258	4,572	1,970	11%	13%	6.63	.77		2
Willamette River										
Willamette Falls Locks 1 - 4										
1 *	412	1,075		464	38%	N/A%	1.66	.00		
Willamette Falls Guard Lock										
1	412	1,110		473	35%	N/A%	.40	.00		
Lake Washington Ship Canal										
Hiram M Chittenden Locks										
1	412	22,130	1,407	4,338	20%	100%	61.31	.64	3.6	158
Hiram M Chittenden Locks										
4	412	36,142	0	12,158	34%	100%	54.63	.01	4.0	118

* Lock data not available for all months

1 - Average Time in Hours